

09/01/00
1c913 U.S. PTO

09-05-00

A

Please type a plus sign (+) inside this box → ☒

PTO/SB/05 (4/98)
Approved for use through 09/30/2000. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))

Attorney Docket No. RICE 100
First Inventor or Application Identifier Jennifer L. West
Title NITRIC OXIDE-PRODUCING HYDROGEL MATERIALS
Express Mail Label No. EL 381 202 026 US

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

1. ☒ * Fee Transmittal Form (e.g., PTO/SB/17)
(Submit an original and a duplicate for fee processing)
2. ☒ Specification [Total Pages 29]
(preferred arrangement set forth below)
 - Descriptive title of the invention
 - Cross References to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to Microfiche Appendix
 - Background of the invention
 - Brief Summary of the invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
3. ☒ Drawing(s) (35 U.S.C. 113) [Total Sheets 10]
4. Oath or Declaration [Total Pages 3]
 - a. ☒ Unexecuted
 - b. ☐ Copy from a prior application (37 C.F.R. § 1.63(d))
(for continuation/divisional with Box 16 completed)
 - i. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).

* NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).

ADDRESS TO: Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

5. ☐ Microfiche Computer Program (Appendix)
6. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
 - a. ☐ Computer Readable Copy
 - b. ☐ Paper Copy (identical to computer copy)
 - c. ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

7. ☐ Assignment Papers (cover sheet & document(s))
8. ☐ 37 C.F.R. § 3.73(b) Statement ☐ Power of Attorney (when there is an assignee)
9. ☐ English Translation Document (if applicable)
10. ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citations
11. ☐ Preliminary Amendment
12. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
13. ☐ * Small Entity Statement filed in prior application, Statement(s) Status still proper and desired (PTO/SB/09-12)
14. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)
15. ☐ Other:


16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No: _____


Prior application information: Examiner _____ Group / Art Unit: _____

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

17. CORRESPONDENCE ADDRESS

☒ Customer Number or Bar Code Label  or ☐ Correspondence address below
(Insert Customer No. or Attach bar code label here)

Name	Patrea L. Pabst				
	Arnall Golden & Gregory, LLP				
Address	2800 One Atlantic Center				
	1201 West Peachtree Street				
City	Atlanta	State	GA	Zip Code	30309-3450
Country	United States	Telephone	(404) 873-8794	Fax	(404) 873-8795

Name (Print/Type)	Patrea L. Pabst	Registration No. (Attorney/Agent)	31,284
Signature		Date	09/01/00

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

FEE TRANSMITTAL for FY 2000

Patent fees are subject to annual revision.
Small Entity payments must be supported by a small entity statement,
otherwise large entity fees must be paid. See Forms PTO/SB/09-12.

TOTAL AMOUNT OF PAYMENT (\$1472.00)

Complete if Known

Application Number	Not Yet Assigned
Filing Date	September 1, 2000
First Named Inventor	Jennifer L. West
Examiner Name	Not Yet Assigned
Group / Art Unit	Not Yet Assigned
Attorney Docket No.	RICE 100

METHOD OF PAYMENT (check one)

1. ☒ The Commissioner is hereby authorized to charge indicated fees and credit any over payments to:

Deposit Account Number **01-2507**
Deposit Account Name **Amall Golden & Gregory, LLP**

- ☒ Charge Any Additional Fee Required Under 37 CFR 1.16 and 1.17

2. ☐ Payment Enclosed:
☐ Check ☐ Money Order ☐ Other

FEE CALCULATION

1. BASIC FILING FEE

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description	Fee Paid
101 690	201 345	Utility filing fee	690.00
106 310	206 155	Design filing fee	
107 480	207 240	Plant filing fee	
108 690	208 345	Reissue filing fee	
114 150	214 75	Provisional filing fee	

SUBTOTAL (1) (\$690.00)

2. EXTRA CLAIM FEES

Total Claims	Extra Claims	Fee from below	Fee Paid
37	-20 = 17	18.00	306.00
Independent Claims	5 -3 = 2	78.00	156.00
Multiple Dependent		260.00	260.00

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description
103 18	203 9	Claims in excess of 20
102 78	202 39	Independent claims in excess of 3
104 260	204 130	Multiple dependent claim, if not paid
109 78	209 39	** Reissue independent claims over original patent
110 18	210 9	** Reissue claims in excess of 20 and over original patent

SUBTOTAL (2) (\$722.00)

FEE CALCULATION (continued)

3. ADDITIONAL FEES

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description	Fee Paid
105 130	205 65	Surcharge - late filing fee or oath	
127 50	227 25	Surcharge - late provisional filing fee or cover sheet.	
139 130	139 130	Non-English specification	
147 2,520	147 2,520	For filing a request for reexamination	
112 920*	112 920*	Requesting publication of SIR prior to Examiner action	
113 1,840*	113 1,840*	Requesting publication of SIR after Examiner action	
115 110	215 55	Extension for reply within first month	
116 380	216 190	Extension for reply within second month	
117 870	217 435	Extension for reply within third month	
118 1,360	218 680	Extension for reply within fourth month	
128 1,850	228 925	Extension for reply within fifth month	
119 300	219 150	Notice of Appeal	
120 300	220 150	Filing a brief in support of an appeal	
121 260	221 130	Request for oral hearing	
138 1,510	138 1,510	Petition to institute a public use proceeding	
140 110	240 55	Petition to revive - unavoidable	
141 1,210	241 605	Petition to revive - unintentional	
142 1,210	242 605	Utility issue fee (or reissue)	
143 430	243 215	Design issue fee	
144 580	244 290	Plant issue fee	
122 130	122 130	Petitions to the Commissioner	
123 50	123 50	Petitions related to provisional applications	
126 240	126 240	Submission of Information Disclosure Stmt	
581 40	581 40	Recording each patent assignment per property (times number of properties)	
146 690	246 345	Filing a submission after final rejection (37 CFR 1.129(a))	
149 690	249 345	For each additional invention to be examined (37 CFR 1.129(b))	

Other fee (specify) _____

**Represents the difference between the fee for a ☐ month extension of time and a ☐ month extension of time.

* Reduced by Basic Filing Fee Paid

SUBTOTAL (3) (\$0.00)

SUBMITTED BY

Typed or Printed Name **Patrea L. Pabst**

Signature

Date **09/01/00**

Complete (if applicable)

Reg. Number **31,284**

Deposit Account User ID **01-2507**

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Jennifer L. West and Kristyn Simcha Bohl

Serial No.: Express Mail Label No.: EL 381 202 026 US

Filed: September 1, 2000 Date of Deposit: September 1, 2000

For: *NITRIC OXIDE-PRODUCING HYDROGEL MATERIALS*

BOX PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

**EXPRESS MAIL TRANSMITTAL LETTER
FOR PATENT APPLICATION AND CERTIFICATE OF MAILING**

Sir:

Pursuant to 35 U.S.C. § 21(a) as amended by Public Law 97-247 and 37 C.F.R. § 1.10, Jennifer L. West and Kristyn Simcha Bohl enclose for filing the attached patent application entitled "Nitric Oxide-Producing Hydrogel Materials". This application claims benefit of U.S. Provisional Application No. 60/152,054, filed September 2, 1999. The application includes 1 page of Abstract, 26 pages of specification, 3 pages of claims, 10 sheets of informal drawings, and an unexecuted Declaration. An executed Declaration, Assignment to Rice University and A Verified Statement Claiming Small Entity Status will be submitted shortly.

The Commissioner is hereby authorized to charge our deposit order account no. 01-2507 in the amount of \$1,472.00, which represents the filing fee for a large entity.

RICE 100
14750/2

Title: "NITRIC OXIDE-PRODUCING HYDROGEL MATERIALS"
Filed: September 1, 2000
Express Mail Transmittal Letter for
Patent Application and Certificate of Mailing
Express Mail Label No.: EL 381 202 026 US

This application is being filed on September 1, 2000 by mailing the application to the Assistant Commissioner for Patents, Washington, D.C. 20231 via the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10. The Express Mail label number appears in the heading of this paper, which is attached to the application papers pursuant to 37 C.F.R. § 1.10(b).

The Commissioner is hereby authorized to charge any fees that may be required, or credit any overpayment to Deposit Order Account No. 01-2507. To facilitate this process, applicants have enclosed a duplicate of this letter.

All correspondence concerning this application should be mailed to:

Patrea L. Pabst, Esq.
ARNALL GOLDEN & GREGORY, LLP
2800 One Atlantic Center
1201 West Peachtree Street
Atlanta, Georgia 30309-3450

Respectfully submitted,



Patrea L. Pabst
Reg. No. 31,284


Date: September 1, 2000
ARNALL GOLDEN & GREGORY, LLP
2800 One Atlantic Center
1201 West Peachtree Street
Atlanta, Georgia 30309-3450
(404) 873-8794
(404) 873-8795 (fax)

RICE 100
14750/2

Title: "NITRIC OXIDE-PRODUCING HYDROGEL MATERIALS"
Filed: September 1, 2000
Express Mail Transmittal Letter for
Patent Application and Certificate of Mailing
Express Mail Label No. EL 381 202 026 US

CERTIFICATE OF MAILING UNDER 37 C.F.R. § 1.10

I hereby certify that this Express Mail Transmittal Letter for Patent Application and any documents referred to as attached therein are being deposited with the United States Postal Service on this date, September 1, 2000, in an envelope as "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10, mailing label number EL 381 202 026 US, addressed to BOX PATENT APPLICATION, Assistant Commissioner for Patents, Washington, D.C. 20231.


Teresa R. Spratt

Date: September 1, 2000

**APPLICATION
FOR
UNITED STATES LETTERS PATENT
BY
JENNIFER L. WEST
AND
KRISTYN SIMCHA BOHL**

**FOR
NITRIC OXIDE-PRODUCING HYDROGEL MATERIALS**

NITRIC OXIDE-PRODUCING HYDROGEL MATERIALS

Field of the Invention

The present invention relates to photopolymerizable hydrogel
5 materials that produce physiologically relevant amounts of nitric oxide (NO)
for prolonged periods of time.

This application claims priority to U.S.S.N. 60/152,054 filed
September 2, 1999.

Background of the Invention

10 Endothelial cells, normally present as a monolayer in the intimal
layer of the arterial wall, are believed to play an important role in the
regulation of smooth muscle cell proliferation *in vivo*. Endothelial cells are
seriously disrupted by most forms of vascular injury, including that caused
by percutaneous transluminal coronary angioplasty and similar procedures.
15 Approximately 35-50% of patients treated by percutaneous transluminal
coronary angioplasty experience clinically significant renarrowing of the
artery, or restenosis, within six months of the initial treatment. Restenosis is
due, at least in part, to migration and proliferation of smooth muscle cells in
the arterial wall along with increases in secretion of matrix proteins to form
20 an obstructive neointimal layer within the arterial wall. Similar issues limit
the performance of vascular grafts. The processes that regulate arterial
wound healing following vascular injury, such as that caused by angioplasty,
are as yet poorly understood, but are believed to involve a complex cascade
of blood and vessel wall-derived factors.

25 Numerous factors that stimulate intimal thickening and restenosis
have been identified through administration of exogenous proteins, genetic
alteration of cells, or through the blockade of certain signals using antibodies
or other specific growth factor inhibitors. These smooth muscle cell
mitogens and chemoattractants derive from both the blood or thrombus
30 formation and from the vessel wall itself. Endothelial cells produce a
number of substances known to down-regulate smooth muscle cell
proliferation, including heparin sulfate, prostacyclin (PGI₂), and NO.

JENNIFER - WE NEED CITES INSERTED!

NO is an endothelium-derived target molecule useful for the prevention of restenosis because, in addition to limiting the proliferation of smooth muscle cells (Garg et al., 1989), NO reduces platelet aggregation (de Graaf et al., 1992; Radomski et al., 1987), increases endothelial cell proliferation (Ziche et al., 1993), and attenuates leukocyte adhesion (Lefer et al., 1993), all of which are highly desirable for the reduction of intimal thickening and restenosis (Reviewed by Loscalzo, 1996). Because of the complexity of the restenotic process, approaches that act upon multiple targets are the most likely to be successful.

The mechanisms whereby NO affects these multiple responses are not fully understood as yet, but it is known that NO activates soluble guanylate cyclase by binding to its heme moiety, thereby elevating the levels of cyclic guanosine monophosphate (cGMP), an intracellular second messenger with multiple cellular effects (Moro et al., 1996). The effects of NO can often be mimicked by the administration of cGMP or more stable derivatives of cGMP (Garg et al., 1989). In addition, NO has been found to inhibit ribonucleotide reductase, an enzyme that converts ribonucleotides into deoxy ribonucleotides, thus significantly impacting DNA synthesis (Lepoivre et al., 1991; Kwon et al., 1991), as well as several enzymes involved in cellular respiration (Stuehr et al., 1989).

A number of molecules that produce NO under physiological conditions (NO donors) have been identified and evaluated both *in vitro* and *in vivo*. NO donor molecules exert biological effects mimicking those of NO and include S-nitrosothiols (Diodati et al., 1993; Lefer et al., 1993; DeMeyer et al., 1995), organic nitrates (Ignarro et al., 1981), and complexes of NO with nucleophiles (Diodati et al., 1993; Diodati et al., 1993; Maragos et al., 1993). Most of these have been low molecular weight molecules that are administered systemically and have short half-lives under physiologic conditions, thus exerting effects upon numerous tissue types with a brief period of activity. In addition, L-arginine is often thought of as a NO donor, as L-arginine is a substrate for NO synthase, and thus administration of L-

arginine increases endogenous NO production and elicits responses similar to those caused by NO donors in most cases (Cooke et al., 1992).

The development of NO-releasing polymers containing NO/nucleophile complexes has been reported by Smith et al., (1996). These materials were capable of releasing NO for as long as 5 weeks *in vitro* and were able to limit smooth muscle cell proliferation in culture and to reduce platelet adherence to vascular graft materials in an arterio-venous shunt model. These materials show promise for numerous clinical applications where localized NO production would be desired, such as anti-thrombotic coating materials for catheters, but probably will not be useful for the direct treatment of tissues *in vivo* as these materials suffer from a number of disadvantages. These polymers may be produced as films, powders, or microspheres, but they cannot be formed *in situ* in direct contact with cells and tissues, thus making it difficult to strictly localize NO treatment to a tissue and potentially causing issues with the retention of the polymer at the site of application. The formulation issues will also make local administration during laparoscopic or catheter-based procedures difficult or impossible. Additionally, biocompatibility of the base polymer is a serious issue for implantable, NO-releasing polymers, especially those intended for long-term use, as inflammatory and thrombotic responses may develop after the cessation of NO release.

It would be more efficient if these compounds could be administered solely to the site in need of treatment, and in some cases, reduce or eliminate side effects due to systemic administration of the agents, particularly over prolonged time periods.

It is therefore an object of the present invention to provide reagents for controlled release of NO and/or compounds modulating NO levels at a particular site, following local or topical application.

It is a further object of the present invention to provide methods for treatment of conditions involving inflammatory responses by providing hydrogel materials releasing compound modulating NO levels at the site of application.

Summary of the Invention

Biocompatible polymeric materials releasing or producing NO, most preferably photopolymerizable biodegradable hydrogels capable of releasing physiological amounts of NO for prolonged periods of time, are applied to sites on or in a patient in need of treatment thereof for disorders such as restenosis, thrombosis, asthma, wound healing, arthritis, penile erectile dysfunction or other conditions where NO plays a significant role. The polymeric materials can also be formed into films, coatings, or microparticles. The polymers are typically formed of macromers, which preferably include biodegradable regions, and have bound thereto groups that are released *in situ* to elevate or otherwise modulate NO levels at the site where treatment is needed. The macromers can form a homo or hetero-dispersion or solution, which is polymerized to form a polymeric material, that in the latter case can be a semi-interpenetrating network or interpenetrating network. Compounds to be released can be physically entrapped, covalently or ionically bound to macromer, or actually form a part of the polymeric material. Hydrogels can be formed by ionic and/or covalent crosslinking. Other active agents, including therapeutic, prophylactic, or diagnostic agents, can also be included within the polymeric material.

Brief Description of the Invention

Figure 1 is a schematic of the synthesis of S-nitrosocysteine hydrogels (Acryloyl-PEG-CYSNO).

Figure 2 is a schematic of the synthesis of acryloyl-PEG-Lysine₅ NO-nucleophile complex hydrogels.

Figure 3 is a schematic of the synthesis of acryloyl-PEG-DETA-NO-nucleophile complex hydrogels.

Figure 4 is a graph showing the temporal release (%NO released over time in days) of NO from acryloyl-PEG-Lys₅-NO hydrogels at pH 7.4 (circles) and pH 3 (squares).

Figure 5 is a graph showing the temporal release (%NO released over time in days) of NO from acryloyl-PEG-DETA-NO hydrogels at pH 7.4 (circles) and pH 2 (squares).

Figure 6 is a graph showing the temporal release (%NO released over time in hours) of NO from PEG-CYSNO hydrogels at pH 7.4 (circles) and pH 2 (squares).

Figure 7 is a graph showing the temporal release (μmol NO released per gram of polymer over time in hours) of NO from PVA-NO-bFGF hydrogels at pH 7.4, 37°C.

Figures 8A and 8B are graphs showing that acryloyl-PEG-Lysine-NO hydrogels inhibit the proliferation of smooth muscle cells. Figure 8A, % of control cell number, hydrogel formulation. Figure 8B, % of control cell number, soluble polymer.

Figures 9A and 9B are graphs showing the inhibition of SMC proliferation by NO released from acryloyl-PEG-DETA-NO hydrogels (Figure 9A) and soluble polymer (Figure 9B), as a percentage of the control.

Figures 10A and 10B are graphs showing inhibition of SMC proliferation by NO released from acryloyl-PEG-CYSNO hydrogels (Figure 10A) and soluble polymer (Figure 10B), as a percentage of controls.

Figure 11 is a graph comparing the degree of inhibition of smooth muscle cell growth by NO released from hydrogels: acryloyl-PEG-Lys-NO, acryloyl-PEG-DETA-NO, and acryloyl-PEG-CYSNO, compared to control hydrogel with NO. The %inhibition of smooth muscle cell growth is determined by comparing the cell growth for each NO-releasing hydrogel to a control PEG-diacrylate hydrogel.

Figure 12a is a graph showing the temporal release of NO, micromolar NO released/gram of gel over time in hours from PVA-NO-bFGF hydrogels at pH 7.4, 37°C. Figure 12b is a graph showing the temporal release (% of theoretical bFGF released per gram of gel over time in hours) from PVA-Cys-NO-bFGF hydrogels at pH 7.4, 37°C.

Detailed Description of the Invention

I. Polymeric Materials for Release of NO

The polymeric materials are biocompatible and release or produce NO. In various preferred embodiments, the polymers are also biodegradable, form hydrogels, polymerize *in situ* and are tissue adherant. These properties

are conferred by the selection of the macromer components as well as addition of various groups to the components.

The term "polymerizable" means that the regions have the capacity to form additional covalent bonds resulting in macromer interlinking, for example, carbon-carbon double bonds of acrylate-type molecules. Such polymerization is characteristically initiated by free-radical formation resulting from photon absorption of certain dyes and chemical compounds to ultimately produce free-radicals, although it can be obtained using other methods and reagents known to those skilled in the art.

A. Polymeric Materials

The polymeric materials must be biocompatible, i.e., not eliciting a significant or unacceptable toxic or immunogenic response following administration to or implantation into an individual.

A number of polymeric materials are known which are biocompatible, including both natural and synthetic polymers. Examples include proteins (of the same origin as the recipient), polysaccharides such as chondroitin sulfate and hyaluronic acid, polyurethanes, polyesters, polyamides, and acrylates. Polymers can be degradable or non-degradable.

Most polymeric materials will be selected based on a combination of properties conferred by the various components, which may include a water soluble regions such as PEG or PVA, biodegradable regions such as regions that degrade hydrolytically, and groups that can be used to polymerize the macromers *in situ*.

Water-Soluble and/or Tissue Adhesive Regions

There are a variety of water soluble materials that can be incorporated into the polymers. The term "at least substantially water soluble" is indicative that the solubility should be at least about 5 g/100 ml of aqueous solution. In preferred embodiments, the core water soluble region can consist of poly(ethylene glycol), poly(ethylene oxide), poly(vinyl acetate), poly(vinyl alcohol), poly(vinylpyrrolidone), poly(ethyloxazoline), poly(ethylene oxide)-co-poly(propyleneoxide) block copolymers, polysaccharides or carbohydrates such as hyaluronic acid, dextran, heparan

sulfate, chondroitin sulfate, heparin, or alginate, or proteins such as gelatin, collagen, albumin, or ovalbumin.

Hydrophilic (i.e., water soluble) regions will generally be tissue adhesive. Both hydrophobic and hydrophilic polymer including large
5 number of exposed carboxylic groups will be tissue or bioadhesive. Ligands such as RGD peptides and lectins which bind to carbohydrate molecules on cells can also be bound to the polymer to increase tissue adhesiveness.

Degradable Regions

Polyesters (Holland *et al.*, 1986 *Controlled Release*, 4:155-180) of α -
10 hydroxy acids (*viz.*, lactic acid, glycolic acid), are the most widely used biodegradable materials for applications ranging from closure devices (sutures and staples) to drug delivery systems (U.S. Patent No. 4,741,337 to Smith *et al.*; Spilizewski *et al.*, 1985 *J. Control. Rel.* 2:197-203). In addition to the poly(hydroxy acids), several other polymers are known to biodegrade,
15 including polyanhydrides and polyorthoesters, which take advantage of labile backbone linkages, as reported by Domb *et al.*, 1989 *Macromolecules*, 22:3200; Heller *et al.*, 1990 *Biodegradable Polymers as Drug Delivery Systems*, Chasin, M. and Langer, R., Eds., Dekker, New York, 121-161. Polyaminoacids have also been synthesized since it is desirable to have
20 polymers that degrade into naturally occurring materials, as reported by Miyake *et al.*, 1974, for *in vivo* use.

The time required for a polymer to degrade can be tailored by selecting appropriate monomers. Differences in crystallinity also alter degradation rates. Due to the relatively hydrophobic nature of these
25 polymers, actual mass loss only begins when the oligomeric fragments are small enough to be water soluble. Hence, initial polymer molecular weight influences the degradation rate.

The biodegradable region is preferably hydrolyzable under *in vivo* conditions. Hydrolyzable groups may be polymers and oligomers of
30 glycolide, lactide, ϵ -caprolactone, other α -hydroxy acids, and other biologically degradable polymers that yield materials that are non-toxic or

present as normal metabolites in the body. Preferred poly(α -hydroxy acid)s are poly(glycolic acid), poly(DL-lactic acid) and poly(L-lactic acid). Other useful materials include poly(amino acids), poly(anhydrides), poly(orthoesters), and poly(phosphoesters). Polylactones such as poly(ϵ -caprolactone), poly(ϵ -caprolactone), poly(δ -valerolactone) and poly(gamma-butyrolactone), for example, are also useful.

Biodegradable regions can also be constructed from polymers or monomers using linkages susceptible to biodegradation by enzymes, such as ester, peptide, anhydride, orthoester, and phosphoester bonds. Degradable materials of biological origin are well known, for example, crosslinked gelatin. Hyaluronic acid has been crosslinked and used as a degradable swelling polymer for biomedical applications (U.S. Patent No. 4,987,744 to della Valle et al., U.S. Patent 4,957,744 to Della Valle *et al.* (1991) *Polym. Mater. Sci. Eng.*, 62:731-735]).

Biodegradable Hydrogels

A number of polymers have been described which include both water soluble regions and biodegradable regions. Sawhney et al., (1990) *J. Biomed. Mater. Res.* 24:1397-1411, copolymerized lactide, glycolide and ϵ -caprolactone with PEG to increase its hydrophilicity and degradation rate. U.S. Patent No. 4,716,203 to Casey et al. (1987) synthesized a PGA-PEG-PGA block copolymer, with PEG content ranging from 5-25% by mass. U.S. Patent No. 4,716,203 to Casey et al. (1987) also reports synthesis of PGA-PEG diblock copolymers, again with PEG ranging from 5-25%. U.S. Patent No. 4,526,938 to Churchill et al. (1985) described noncrosslinked materials with MW in excess of 5,000, based on similar compositions with PEG; although these materials are not water soluble. Cohn et al. (1988) *J. Biomed. Mater. Res.* 22:993-1009 described PLA-PEG copolymers that swell in water up to 60%; these polymers also are not soluble in water, and are not crosslinked. The features that are common to these materials is that they use both water-soluble polymers and degradable polymers, and that they are insoluble in water, collectively swelling up to about 60%.

U.S. Patent No. 5,410,016 issued on April 25, 1995 to Hubbell, et al., describes materials which are based on polyethylene glycol (PEG), because of its high biocompatible and thromboresistant nature, with short polylactide extensions to impart biodegradation and acrylate termini to allow rapid photopolymerization without observable heat production. These materials are readily modified to produce hydrogels which release or produce NO.

The polymerizable regions are separated by at least one degradable region to facilitate uniform degradation *in vivo*. There are several variations of these polymers. For example, the polymerizable regions can be attached directly to degradable extensions or indirectly via water soluble nondegradable sections so long as the polymerizable regions are separated by a degradable section. For example, if the macromer composition contains a simple water soluble region coupled to a degradable region, one polymerizable region may be attached to the water soluble region and the other attached to the degradable extension or region. In another embodiment, the water soluble region forms the central core of the macromer composition and has at least two degradable regions attached to the core. At least two polymerizable regions are attached to the degradable regions so that, upon degradation, the polymerizable regions, particularly in the polymerized gel form, are separated. Conversely, if the central core of the macromer composition is formed by a degradable region, at least two water soluble regions can be attached to the core and polymerizable regions attached to each water soluble region. The net result will be the same after gel formation and exposure to *in vivo* degradation conditions.

In another embodiment, the macromer composition has a water soluble backbone region and a degradable region affixed to the macromer backbone. At least two polymerizable regions are attached to the degradable regions, so that they are separated upon degradation, resulting in gel product dissolution. In a further embodiment, the macromer backbone is formed of a nondegradable backbone having water soluble regions as branches or grafts attached to the degradable backbone. Two or more polymerizable regions are attached to the water soluble branches or grafts. In another variation, the

backbone may be star shaped, which may include a water soluble region, a biodegradable region or a water soluble region which is also biodegradable. In this general embodiment, the star region contains either water soluble or biodegradable branches or grafts with polymerizable regions attached thereto. Again, the polymerizable regions must be separated at some point by a degradable region.

Polymerizable groups.

The polymerizable regions are preferably polymerizable by photoinitiation by free radical generation, most preferably in the visible or long wavelength ultraviolet radiation. The preferred polymerizable regions are acrylates, diacrylates, oligoacrylates, dimethacrylates, oligomethoacrylates, or other biologically acceptable photopolymerizable groups. A preferred tertiary amine is triethanol amine.

Useful photoinitiators are those which can be used to initiate by free radical generation polymerization of the macromers without cytotoxicity and within a short time frame, minutes at most and most preferably seconds. Preferred dyes as initiators of choice for LWUV initiation are ethyl eosin, 2,2-dimethoxy-2-phenyl acetophenone, other acetophenone derivatives, and camphorquinone. In all cases, crosslinking and polymerization are initiated among copolymers by a light-activated free-radical polymerization initiator such as 2,2-dimethoxy-2-phenylacetophenone or a combination of ethyl eosin (10^{-4} - 10^{-2} milliM) and triethanolamine (0.001 to 0.1 M), for example.

The choice of the photoinitiator is largely dependent on the photopolymerizable regions. For example, when the macromer includes at least one carbon-carbon double bond, light absorption by the dye causes the dye to assume a triplet state, the triplet state subsequently reacting with the amine to form a free radical which initiates polymerization. Preferred dyes for use with these materials include eosin dye and initiators such as 2,2-dimethyl-2-phenylacetophenone, 2-methoxy-2-phenylacetophenone, and camphorquinone. Using such initiators, copolymers may be polymerized *in situ* by long wavelength ultraviolet light or by laser light of about 514 nm, for example.

Initiation of polymerization is accomplished by irradiation with light at a wavelength of between about 200-700 nm, most preferably in the long wavelength ultraviolet range or visible range, 320 nm or higher, most preferably about 514 nm or 365 nm.

5 There are several photooxidizable and photoreducible dyes that may be used to initiate polymerization. These include acridine dyes, for example, acriblarine; thiazine dyes, for example, thionine; xanthine dyes, for example, rose bengal; and phenazine dyes, for example, methylene blue. These are used with cocatalysts such as amines, for example, triethanolamine; sulphur
10 compounds, for example, RSO_2R^1 ; heterocycles, for example, imidazole; enolates; organometallics; and other compounds, such as N-phenyl glycine. Other initiators include camphorquinones and acetophenone derivatives.

Thermal polymerization initiator systems may also be used. Such systems that are unstable at 37°C and would initiate free radical
15 polymerization at physiological temperatures include, for example, potassium persulfate, with or without tetramethyl ethylenediamine; benzoylperoxide, with or without triethanolamine; and ammonium persulfate with sodium bisulfite.

Other initiation chemistries may be used besides photoinitiation.
20 These include, for example, water and amine initiation schemes with isocyanate or isothiocyanate containing macromers used as the polymerizable regions.

Preferred Embodiments

In the preferred embodiment, the polymeric materials are a
25 biodegradable, polymerizable and at least substantially water soluble macromer composition. The first macromer includes at least one water soluble region, at least one NO carrying region and at least one free radical-polymerizable region. The second macromer includes at least one water soluble region and at least two free radical polymerizable regions. The
30 regions can, in some embodiments, be both water soluble and biodegradable. The macromer composition is polymerized by exposure of the polymerizable regions to free radicals generated, for example, by photosensitive chemicals

1273134v1

RICE100
14750/2

and dyes.

Examples of these macromers are PVA or PEG-oligoglycolyl-
acrylates. The choice of appropriate end caps permits rapid polymerization
and gelation. Acrylates are preferred because they can be polymerized using
several initiating systems, e.g., an eosin dye, by brief exposure to ultraviolet
or visible light. A poly(ethyleneglycol) or PEG central structural unit (core)
is preferred on the basis of its high hydrophilicity and water solubility,
accompanied by excellent biocompatibility. A short oligo or poly(α -
hydroxy acid), such as polyglycolic acid, is selected as a preferred chain
extension because it rapidly degrades by hydrolysis of the ester linkage into
glycolic acid, a harmless metabolite. Although highly crystalline
polyglycolic acid is insoluble in water and most common organic solvents,
the entire macromer composition is water-soluble and can be rapidly gelled
into a biodegradable network while in contact with aqueous tissue fluids.
Such networks can be used to entrap and homogeneously disperse water-
soluble drugs and enzymes and to deliver them at a controlled rate. Further,
they may be used to entrap particulate suspensions of water-insoluble drugs.
Other preferred chain extensions are polylactic acid, polycaprolactone,
polyorthoesters, and polyanhydrides. Polypeptides may also be used. Such
"polymeric" blocks should be understood to include dimeric, trimeric, and
oligomeric blocks.

PVA contains many pendant hydroxyl groups. These hydroxyl
groups are easily reacted to form side chains such as various crosslinking
agents and nitric oxide donors. PVA is water soluble and has excellent
biocompatibility. Modification of PVA to attach methacrylate groups via a
diacetal bond with the pendant hydroxyl groups and addition of an
appropriate photoinitiator enables the PVA to be photopolymerized to form
hydrogels under long wavelength UV light. In another preferred
embodiment, the hydrogel is formed from modified polyvinyl alcohol (PVA)
macromers, such as those described in U.S. Patent Nos. 5,508,317, 5,665,840,
5,849,841, 5,932,674, 6,011,077, 5,939,489, and 5,807,927. The macromers
disclosed in U.S. Patent No. 5,508,317, for example, are PVA prepolymers

modified with pendant crosslinkable groups, such as acrylamide groups containing crosslinkable olefinically unsaturated groups. These macromers can be polymerized by photopolymerization or redox free radical polymerization, for example. The starting polymers are, in particular, derivatives of polyvinyl alcohol or copolymers of vinyl alcohol that contain, for example, a 1,3-diol skeleton. The crosslinkable group or the further modifier can be bonded to the starting polymer skeleton in various ways, for example through a certain percentage of the 1,3-diol units being modified to give a 1,3-dioxane, which contains a crosslinkable radical, or a further modifier in the 2-position. Another possibility is for a certain percentage of hydroxyl groups in the starting polymer to be esterified by means of an unsaturated organic acid, these ester-bonded radicals containing a crosslinkable group. The hydrophobicity of these macromers can be increased by substituting some of the pendant hydroxyl groups with more hydrophobic substituents. The properties of the macromers, such as hydrophobicity, can also be modified by incorporating a comonomer in the macromer backbone. The macromers can also be formed having pendant groups crosslinkable by other means.

B. NO groups or Modulating Compounds

A number of molecules that produce NO under physiological conditions (NO donors) have been identified and evaluated both *in vitro* and *in vivo*, including S-nitrosothiols, organic nitrates, and complexes of NO with nucleophiles. L-arginine is a NO donor, since L-arginine is a substrate for NO synthase, and thus administration of L-arginine increases endogenous NO production and elicits responses similar to those caused by NO donors in most cases. Other NO donors include molsidomine, CAS754, SPM-5185, and SIN-1. Other compounds capable of producing and/or donating NO may also be used. These include organic nitrates, nitrosylating, compounds, nitrosoesters, and L-arginine.

The molecules which produce NO, or release or generate NO, are preferably attached to regions containing nucleophiles and/or thiols such as S-nitrosothiols capable of forming a complex with NO.

C. Prophylactic, Therapeutic and Diagnostic Agents

The polymeric materials can also be used for drug delivery, preferably localized release of prophylactic, therapeutic or diagnostic agents at the site where the materials are needed, although the polymeric materials can be loaded with agent to be released systemically. These agents include proteins or peptides, polysaccharides, nucleic acid molecules, and simple organic molecules, both natural and synthetic. Representative materials include antibiotics, antivirals, and antifungal drugs, anti-inflammatories (steroidal or non-steroidal), hormones, growth factors, cytokines, neuroactive agents, vasoconstrictors and other molecules involved in the cardiovascular responses, enzymes, antineoplastic agents, local anesthetics, antiangiogenic agents, antibodies, drugs affecting reproductive organs, and oligonucleotides such as antisense oligonucleotides. Diagnostic materials may be radioactive, bound to or cleave a chromogenic substrate, or detectable by ultrasound, x-ray, mri, or other standard imaging means.

These agents can be mixed with macromer prior to polymerization, applied into or onto the polymer, or bound to the macromer prior to or at the time of polymerization, either covalently or ionically, so that the agent is released by degradation (enzymatic or hydrolytic) or diffusion at the site where the polymer is applied.

II. Methods of Use

A. Coatings; Films; Microparticles

Although described primarily with respect to *in vivo* treatment, it is apparent that the polymeric materials described herein can be used in cell culture, on cell culture substrates, or as coatings on medical implants or devices such as stents or catheters, or formed using standard techniques into microparticles or other types of formulations which may be used in or administered to a patient.

B. Therapeutic Applications

Polymeric materials capable of releasing physiological amounts of NO for prolonged periods of time can be applied to sites on or in a patient in need of treatment thereof. Representative disorders or conditions that can be

aqueous solution of a light-sensitive free-radical polymerization initiator and a macromer solution as described above. The coated tissue surfaces are exposed to light sufficient to polymerize the macromer. The light-sensitive free-radical polymerization initiator may be a single compound (e.g., 2,2-dimethoxy-2-phenyl acetophenone) or a combination of a dye and a cocatalyst (e.g., ethyl eosin and triethanol amine).

Tissue Adhesives.

Another use of the polymers is in a method for adhering tissue surfaces in a patient. In one embodiment the macromer is mixed with a photoinitiator or photoinitiator/cocatalyst mixture to form an aqueous mixture and the mixture is applied to a tissue surface to which tissue adhesion is desired. The tissue surface is contacted with the tissue with which adhesion is desired, forming a tissue junction. The tissue junction is then irradiated until the macromers are polymerized.

Tissue Coatings.

In a particularly preferred application of these macromers, an ultrathin coating is applied to the surface of a tissue, most preferably the lumen of a tissue such as a blood vessel. One use of such a coating is in the treatment or prevention of restenosis, abrupt reclosure, or vasospasm after vascular intervention. An initiator is applied to the surface of the tissue, allowed to react, adsorb or bond to tissue, the unbound initiator is removed by dilution or rinsing, and the macromer solution is applied and polymerized. This method is capable of creating uniform polymeric coating of between one and 500 microns in thickness, most preferably about twenty microns, which does not evoke thrombosis or localized inflammation.

Tissue Supports.

The polymeric materials can also be used to create tissue supports by forming shaped articles within the body to serve a mechanical function. Such supports include, for example, sealants for bleeding organs, sealants for bone defects and space-fillers for vascular aneurisms. Further, such supports can include strictures to hold organs, vessels or tubes in a particular position for a controlled period of time.

Controlled drug delivery.

As noted above, the polymeric materials can be use as carriers for biologically active materials such as therapeutic, prophylactic or diagnostic agents, including hormones, enzymes, antibiotics, antineoplastic agents, and
5 cell suspensions. The polymeric material may be used to temporarily preserve functional properties of an agent to be released, as well as provide prolonged, controlled release of the agent into local tissues or systemic circulation.

In a variation of the method for controlled drug delivery in which
10 agent is mixed with the macromer solution then polymerized *in situ*, the macromers are polymerized with the biologically active materials to form microspheres or nanoparticles containing the biologically active material. The macromer, photoinitiator, and agent to be encapsulated are mixed in an aqueous mixture. Particles of the mixture are formed using standard
15 techniques, for example, by mixing in oil to form an emulsion, forming droplets in oil using a nozzle, or forming droplets in air using a nozzle. The suspension or droplets are irradiated with a light suitable for photopolymerization of the macromer.

These materials are particularly useful for controlled drug delivery of
20 hydrophilic materials, since the water soluble regions of the polymer enable access of water to the materials entrapped within the polymer. Moreover, it is possible to polymerize the macromer composition containing the material to be entrapped without exposing the material to organic solvents. Release may occur by diffusion of the material from the polymer prior to degradation
25 and/or by diffusion of the material from the polymer as it degrades, depending upon the characteristic pore sizes within the polymer, which is controlled by the molecular weight between crosslinks and the crosslink density. Deactivation of the entrapped material is reduced due to the immobilizing and protective effect of the gel and catastrophic burst effects
30 associated with other controlled-release systems are avoided. When the entrapped material is an enzyme, the enzyme can be exposed to substrate while the enzyme is entrapped, provided the gel proportions are chosen to

allow the substrate to permeate the gel. Degradation of the polymer facilitates eventual controlled release of free macromolecules in vivo by gradual hydrolysis of the terminal ester linkages.

III. Examples

5 As demonstrated by examples 1-3, three classes of NO-producing, PEG-based polymers have been synthesized and their NO release rate constants determined in vitro under physiological conditions. The biological response to appropriate materials has been evaluated in vitro using cultured smooth muscle cells and endothelial cells and in vivo using a rat carotid
10 artery injury model that resembles restenosis in man. The materials include BAB block copolymers of polyethylene glycol (A) with polycysteine (B) that are subsequently reacted with NaNO_2 to form S-nitrosothiols, BAB block copolymers of polyethylene glycol ("PEG") (A) and diethylenetriamine ("DETA") (B) that are subsequently reacted with NO gas to form
15 nucleophile/NO complexes, and BAB block copolymers of polyethylene glycol (A) and polylysine (B) that are subsequently reacted with NO gas to form nucleophile/NO complexes. All polymers are further terminated with reactive acrylate groups to allow rapid photopolymerization in situ.

Such materials would be expected to have good biocompatibility,
20 provided that a water soluble, biocompatible polymer such as PEG comprises the bulk of the material and has a sufficiently high molecular weight, and to slowly biodegrade due to the presence of two ester bonds and two amide bonds in each polymer chain. These three materials were selected as they are expected to have vastly different release kinetics: nucleophile/NO
25 complexes have been shown to release NO for up to 5 weeks (Smith et al., 1996), while the half-life of S-nitrosocysteine is 0.023 hours (Mathews et al., 1993). The amount of NO produced by these copolymers may be tailored by altering the ratio of polyethylene glycol (PEG) to cysteine or lysine.

An advantage of these macromer compositions are that they can be
30 polymerized rapidly in an aqueous surrounding. Precisely conforming, semi-permeable, biodegradable films or membranes can thus be formed on tissue in situ to serve as biodegradable barriers, as carriers for living cells or other

biologically active materials, and as surgical adhesives. The polymer shows excellent biocompatibility, as seen by a minimal fibrous overgrowth on implanted samples. Hydrogels for the models were gelled in situ from water-soluble precursors by brief exposure to long wavelength ultraviolet (LWUV) light, resulting in formation of an interpenetrating network of the hydrogel with the protein and glycosaminoglycan components of the tissue.

As demonstrated by examples 4 and 5, three types of PVA hydrogels were made and demonstrated release of NO and incorporated drug (bFGF): PVA-NH₂-NO hydrogels; PVA-Cys-NO hydrogels; PVA-NO-bFGF hydrogels. The results are similar to those for the PEG based hydrogels.

Example 1: Synthesis of PEG-Cys Macromers

As shown in Figure 1, an acryloyl-PEG-CYSNO polymer was formed by first reacting polyethylene glycol N-hydroxysuccinimide monoacrylate (ACRL-PEG-NHS, MW 3400, commercially available from Shearwater Polymers, Huntington, AL) with L-cysteine at an 1:2 molar ratio in 50 mM sodium bicarbonate buffer (pH 8.5) for 2 hours; the product was then dialyzed in a cellulose ester membrane (Molecular weight cutoff 500, Spectrum Labs, Laguna Hills, CA) in diH₂O, and lyophilized. Analysis of the acryloyl-PEG-Cys copolymer was performed using gel permeation chromatography (GPC) with an evaporative light scattering detector and a UV detector at 260 nm (Polymer Laboratories, Amherst, MA). Successful synthesis of acryloyl-PEG-Cys was determined by a shift in the position of the peak from the evaporative light scattering detector. The copolymer was then reacted with an equimolar amount of NaNO₂ at pH 2 and 37°C for 20 minutes to form S-nitrosocysteine. Conversion of thiol groups to S-nitrosothiols was measured using the Ellman's assay (Hermanson, 1995). After adjusting the pH of the solution to 7.4, the acryloyl-PEG-CYSNO polymer was incorporated into photopolymerizable hydrogels by mixing with PEG-diacrylate (MW 3400) at a 1:10 molar ratio in aqueous solution with 1500 ppm 2,2-dimethoxy-2-phenyl acetophenone as a long wavelength ultraviolet initiator. 0.15% N-vinylpyrrolidone was present in this mixture as it was used as a solvent for the photoinitiator. Exposure to UV light (365

nm, 10 mW/cm²) was used to crosslink the polymer, resulting in conversion to a hydrogel (Sawhney et al., 1993). Production of NO by the hydrogels was quantified using the Griess assay.

Example 2: Synthesis of PEG-Lys Macromers.

5 As shown in Figure 2, for acryloyl-PEG-Lys₅-NO hydrogels, a copolymer of ACRL-PEG-NHS (MW 3400, Shearwater Polymers) and poly-L-lysine (DP=5) was synthesized by reacting at an equimolar ratio in 50 mM sodium bicarbonate (pH 8.5). The resultant copolymer was analyzed via GPC, then dissolved in water and reacted with NO gas in an
10 evacuated vessel, thus forming NO-nucleophile complexes with the amine groups on the lysine side groups. The extent of conversion of amine groups to NO-nucleophile complexes was measured using the ninhydrin assay, and crosslinked hydrogels were formed as described above in Example 1.

Example 3: Synthesis of DETA-NO-nucleophile complex hydrogels.

15 Diethylenetriamine (DETA, Aldrich, Milwaukee, WI) was reacted with ACRL-PEG-NHS (MW 3400, Shearwater Polymers) in 50 mM sodium bicarbonate buffer (pH 8.5) at an equimolar ratio, lyophilized, and analyzed via GPC as described above. The copolymer was then dissolved in water and exposed to NO gas to form NO-nucleophile complexes as described for
20 PEG-Lys₅-NO and assayed for amine content using the ninhydrin assay. The PEG-DETA-NO was lyophilized and then photopolymerized as described above to form hydrogels, as shown in Figure 3.

Example 4: Synthesis of PVA-NH₂-NO hydrogels

Poly(vinyl alcohol) (Hoechst, Mowiol 4-88) was dissolved in diH₂O
25 and warmed to 95°C in a round bottom flask under continuous stirring. After one hour, the solution was cooled to room temperature, and a crosslinkable acetal group, methacrylamidoacetaldehyde dimethyl acetal (NAAADA) was added. The amine acetal, gamma-aminobutyraldehyde diethyl acetal, was also added, and the mixture was acidified using glacial acetic acid and 37%
30 hydrochloric acid. The mixture was allowed to stir at room temperature for nine hours, after which the pH was adjusted to pH 3.6 using triethylamine.

In order to purify the polymer, the solution was then diafiltered through a

MW 3000 cellulose membrane against diH₂O at 6.5 times the volume of polymer solution. The polymer concentration was adjusted to 22% w/v using diafiltration, and the pH was adjusted to 7.4 with 1N NaOH. The amine concentration of the polymer was determined using the ninhydrin
5 assay.

In order to form the NO donor bound to the PVA-NH₂, the neutralized amine-modified polymer was placed in a round bottom flask with stopcock. The flask was evacuated and filled with nitric oxide gas until the desired conversion of amines to NO nucleophile complexes was achieved.

10 Photocrosslinked hydrogels were formed from the PVA-NH₂-NO by adding 0.1% Irgacure 2959 (Ciba-Geigy) photoinitiator (based on total solution volume) and then exposing to UV light (2 mW/cm², 365 nm) for 30 seconds. Addition of the photoinitiator brings the final polymer concentration to 20% w/v.

15 **Example 5: Synthesis of PVA-Cys-NO hydrogels**

PVA-NH₂ was synthesized as described above. The amine terminus of cysteine was acetylated using acetic anhydride, and the carboxyl end of the cysteine was coupled to the PVA-NH₂ using water-soluble EDAC chemistry. The resulting PVA-Cys was then purified using diafiltration and
20 brought to a concentration of 22% w/v. PVA-Cys-NO was formed by adding sodium nitrite at an equimolar amount to cysteine residues, adjusting the pH to 2, and incubating at 37°C for 15 minutes. The extent of reaction of cysteine to Cys-NO was assayed using both the Ellman's and Griess reactions. The photoinitiator, 2,2-methyl-2-phenylacetophenone was
25 dissolved in N-vinylpyrrolidone at a concentration of 600 mg/ml and added to the polymer solution (0.1% based on total solution volume). The polymer was then crosslinked under UV light for 30 seconds and placed in HEPES buffered saline, pH 7.4, 37°C.

Example 6: Release of bFGF from PVA-NO-bFGF hydrogels.

30 For PVA-NO-bFGF hydrogels, the above procedure was used to make the PVA-NO polymer. Immediately prior to exposure to UV light, 25

µg/ml bFGF was added to the polymer solution and mixed well. Gels were crosslinked as described earlier and stored in HEPES buffered saline, pH 7.4, 37°C. Release of bFGF was quantified using the BCA assay (Pierce Chemicals), and NO release was assayed using the Griess reaction.

5 **Example 7: NO-release Rates from acryloyl-PEG-Lys₅-NO hydrogels**

Following preparation and photopolymerization of the NO-releasing materials as described above, the hydrogels were weighed and stored in HEPES buffered saline, pH 7.4, at 37°C. Aliquots of the buffer were removed at each time point and replaced with fresh buffer. The samples
10 from each time point were then analyzed for nitrite content using a colorimetric assay based on the Griess reaction.

NO release kinetics of hydrogels stored in buffer at various pH levels were also investigated in order to explore possible storage conditions for the hydrogels. At acidic pH levels, release of NO from the hydrogels was
15 significantly inhibited.

NO release from acryloyl-PEG-Lys₅-NO hydrogels is shown in Figure 4.

NO release from acryloyl -PEG-DETA-NO hydrogels is shown in Figure 5.

20 NO release from acryloyl-PEG-CYSNO hydrogels is shown in Figure 6.

Example 8: NO-release Rates from PVA-NO-bFGF hydrogels

The release of NO release from PVA-NO-bFGF hydrogels was determined in the same manner as Example 7 and is shown in Figure 7.

25 Figures 12a and 12b, respectively, show the temporal release of NO and a growth factor, bFGF, over time from PVA-NO-bFGF hydrogels. Release of NO continues for well over 12 hours, while the growth factor is completely released within the first 5 hours.

30 **Example 9: Effects of NO-releasing Macromers on Cultured Smooth Muscle Cells: Proliferation and Viability**

In order to assess the potential of a material for the reduction of smooth muscle cell proliferation after vascular injury, cultured smooth

1273134v1

RICE100
14750/2

muscle cells were grown in the presence of NO-releasing materials, and the effects of those materials on the cells evaluated. Smooth muscle cells isolated from Wistar-Kyoto rats (passage 11-15, provided by T. Scott-Burden) were cultured in Minimum Essential Medium supplemented with 10% FBS, 2 mM L-glutamine, 500 units penicillin, and 100 mg/L streptomycin, at 37°C in a 5% CO₂ environment. The cells were seeded into 24-well tissue culture plates (Becton Dickinson, Franklin Lakes, NJ) at a density of 10,000 cells/cm². NO donors in either soluble or hydrogel form were added to the media in the wells one day after seeding. At 4 days culture, cell numbers were determined by preparing single cell suspensions with trypsin and counting three samples from each group using a Coulter counter (Multisizer #0646, Coulter Electronics, Hialeah, FL).

The effects of NO donors in solution on the proliferation of SMCs were first investigated by performing a NO dose response curve, whereupon cells were cultured with a range of NO donor concentrations (1 μM - 10 mM) in order to identify appropriate dosages for hydrogel studies. NO-nucleophile complexes (Lys-NO and DETA-NO) were formed by reacting either L-lysine or DETA with NO gas in water for 24 hours. Soluble Cys-NO was synthesized by reacting an equimolar amount of L-cysteine with NaNO₂ at pH 2 and 37°C for 20 minutes. All NO donor solutions were adjusted to pH 7.4 prior to addition to cell cultures.

Smooth muscle cell proliferation in the presence of NO-producing and control hydrogels was then investigated using the optimal NO dose determined above. Hydrogels containing acryloyl-PEG-Lys-NO, acryloyl-PEG-DETA-NO, and acryloyl-PEG-CYSNO were formed as described above, except that the gel solutions were sterile filtered through 0.2 μm syringe filters (Gelman Sciences, Ann Arbor, MI) prior to adding 2,2-dimethoxy-2-phenyl acetophenone. PEG-diacrylate hydrogels containing no NO donors were used as a control. The hydrogels were photopolymerized in cell culture inserts (8 μm pore size, Becton Dickinson, Franklin Lakes, NJ) and placed in the media over the cultured cells.

. All three hydrogel NO donors significantly inhibited SMC growth ($p < 0.0001$). The number of smooth muscle cells remained near that of the seeding density, which ranged from 10-15% of the final control cell number for all experiments.

5 Inhibition of SMC proliferation by acryloyl-PEG-Lys₅-NO hydrogels is shown in Figure 8A, compared to the macromer solution control shown in Figure 8B. Both significantly inhibited SMC proliferation.

 Inhibition of SMC proliferation by acryloyl-PEG-DETA-NO-nucleophile complex hydrogels is shown in Figure 9A, compared to the
10 macromer solution control shown in Figure 9B. Both significantly inhibited SMC proliferation.

 Inhibition of SMC proliferation by acryloyl-PEG-CYSNO hydrogels is shown in Figure 10A, compared to the macromer solution control shown in Figure 10B. Both significantly inhibited SMC proliferation.

15 Inhibition of SMC proliferation by acryloyl-PEG-CYSNO hydrogels, acryloyl-PEG-DETA-NO hydrogels, and acryloyl-PEG-Lys-NO hydrogels is compared to the control hydrogel in Figure 11. All of the NO hydrogels significantly inhibited SMC growth.

Example 5: Effects of NO-releasing Macromers on Platelet Adhesion

in vitro

20

 The effect of NO release on platelet adhesion was investigated to assess the potential of these materials for prevention of thrombosis. Blood was obtained from a healthy volunteer by venipuncture and anticoagulated with 10 U/ml heparin. Platelets and white blood cells were fluorescently
25 labeled with mepacrine at a concentration of 10 μ M. A solution of 2.5 mg/ml collagen I in 3% glacial acetic acid in diH₂O was prepared and applied to glass slides for 45 minutes in a humidified environment at room temperature. Acryloyl-PEG-CYSNO and PEG-diacrylate hydrogels were prepared as described above and incubated with the labeled whole blood at
30 37°C for 30 minutes. The hydrogels were removed and the blood was then incubated with the collagen-coated glass slides (two per group) for 20 minutes at 37°C and then rinsed with HBS. Platelet counts per field of view

1273134v1

RICE100
14750/2

at 40x were counted under a fluorescent microscope (Zeiss Axiovert 135, Thornwood, NY) in four randomly chosen areas per slide.

5 Photos of platelets which had been exposed to control PEG-diacrylate or acryloyl-PEG-CYSNO hydrogels demonstrate that exposure to the NO-releasing hydrogels inhibits platelet adhesion to thrombogenic surfaces. Glass slides coated with collagen were used as a thrombogenic surface to which platelets would normally adhere. When the blood was incubated with control PEG-diacrylate hydrogels, 69.25 ± 4.46 (mean \pm SD) adherent platelets were observed per field of view. This number was reduced to 7.65 ± 6.16 platelets per field of view when blood was pre-exposed to the acryloyl-PEG-CYSNO hydrogels ($p < 0.0001$).

10 Modifications and variations of the methods and materials described herein will be obvious to those skilled in the art from the foregoing detailed description and accompanying figures. These methods and materials are intended to be encompassed by the following claims.

15

Variable	Mean	SD	Min	Max
Age	34.5	10.2	22	55
Gender	0.5	0.5	0	1
Marital Status	0.6	0.5	0	1
Education	12.5	1.5	10	15
Income	3500	1500	1000	7000
Health Status	0.7	0.4	0	1
Employment Status	0.8	0.4	0	1
Life Satisfaction	4.5	1.5	1	7
Stress Level	3.2	1.2	1	5
Work-Life Balance	4.0	1.0	2	5
Family Support	4.8	1.2	3	6
Community Involvement	3.5	1.0	2	4
Personal Growth	4.2	1.1	3	5
Financial Stability	3.8	1.3	2	5
Healthcare Access	4.0	1.0	3	5
Quality of Life	4.5	1.2	3	6
Overall Well-being	4.2	1.1	3	5

2. The macromer composition of claim 1 wherein the macromer composition comprises additional macromers which do not release NO following polymerization.

4. The macromer composition of claim 1 wherein the macromer comprises at least one degradable region.

6. The macromer composition of claim 1 wherein the macromer adheres to tissue.

8. The macromer composition of claim 4 wherein the degradable region is a central core, at least two water soluble regions are attached to the core, and at least one polymerizable region is attached to each water soluble region.

10. The macromer composition of claim 1 further comprising

therapeutic, prophylactic or diagnostic agents selected from the group consisting of proteins, carbohydrates, nucleic acids, organic molecules, inorganic biologically active molecules, cells, tissues, and tissue aggregates, and diagnostic agents.

11. The macromer composition of claim 1 wherein the macromer comprises at least one water soluble region, at least one NO carrying region and at least one free radical polymerizable region.

12. The macromer composition of Claim 11 further comprising at least one degradable region.

13. The macromer composition of claim 1 having incorporated therein or releasably bound thereto a compound modulating NO levels under physiological conditions.

14. The macromer composition of claim 1 releasing NO under physiological conditions.

15. A method for modulating NO levels in tissue comprising administering to the tissue any of the macromer compositions of claims 1-14.

16. The method of claim 15 further comprising first applying a polymerization initiator at the site where the macromer composition solution is to be polymerized.

17. The method of claim 16 wherein the initiator binds to the tissue, further comprising removing unbound initiator prior to application of the macromer composition solution.

18. A method for controlled release of therapeutic, prophylactic, or diagnostic agents comprising administering to tissue in need thereof a biocompatible, polymerizable, macromer composition comprising at least one NO carrying region or NO modulating compound, wherein NO or NO modulating compound is released from the macromer composition following polymerization, under physiological conditions, wherein the macromers comprise regions selected from the group consisting of water soluble regions, tissue adhesive regions, and polymerizable end group regions.comprising therapeutic, prophylactic or diagnostic agents selected from the group consisting

of proteins, carbohydrates, nucleic acids, organic molecules, inorganic biologically active molecules, cells, tissues, and tissue aggregates, and diagnostic agents.

19. A method for making a polymeric composition capable of releasing nitric oxide at physiological pH, the method comprising polymerizing a solution of biocompatible macromers on tissue, wherein the macromers comprise at least one NO carrying or producing region.

20. A method of treating a disorder or condition with NO comprising administering to an individual in need thereof a biocompatible, polymerizable, macromer composition comprising at least one NO carrying region or NO modulating compound, wherein NO or NO modulating compound is released from the macromer composition following polymerization, under physiological conditions, wherein the macromers comprise regions selected from the group consisting of water soluble regions, tissue adhesive regions, and polymerizable end group regions.

21. The method of claim 20 wherein the macromer further comprises degradable regions.

22. The method of claim 20 for treatment of a disorder or condition selected from the group consisting of wound healing, restenosis, thrombosis, asthma, arthritis, and erectile dysfunction.

23. The method of claim 20 wherein the macromer is adhered to tissue to prevent surgical adhesions, adhere tissue, provide support for tissue or coat the tissue.


NITRIC OXIDE-PRODUCING HYDROGEL MATERIALS

Abstract of the Invention


Hydrogels releasing or producing NO, most preferably photopolymerizable biodegradable hydrogels capable of releasing physiological amounts of NO for prolonged periods of time, are applied to sites on or in a patient in need of treatment thereof for disorders such as restenosis, thrombosis, asthma, wound healing, arthritis, penile erectile dysfunction or other conditions where NO plays a significant role. The hydrogels are typically formed of macromers, which preferably include biodegradable regions, and have bound thereto groups that are released *in situ* to elevate or otherwise modulate NO levels at the site where treatment is needed. The macromers can form a homo or hetero-dispersion or solution, which is polymerized to form a hydrogel material, that in the latter case can be a semi-interpenetrating network or interpenetrating network. Compounds to be released can be physically entrapped, covalently or ionically bound to macromer, or actually form a part of the polymeric material. The hydrogel can be formed by ionic and/or covalent crosslinking. Other active agents, including therapeutic, prophylactic, or diagnostic agents, can also be included within the polymeric material.

Synthesis of S-nitrosocysteine hydrogels


1. Synthesis of copolymer



2. Formation of S-nitrosocysteine



3. Photopolymerization



4. Release of NO




FIGURE 1

Synthesis of Lys₅-NO-nucleophile complex hydrogels






FIGURE 2

nucleophile complex hydrogels


I. Synthesis of copolymer₉



2. Formation of NO-nucleophile complex



3. Photopolymerization



4. Release of NO




FIGURE 3

NO Release from PEG-Lys₅-NO




FIGURE 4

NO Release from PEG-DETA-NO hydrogels




FIGURE 5

NO Release from PEG-Cys-NO hydrogels




FIGURE 6

NO release from PVA-NO-bFGF hydrogels




Figure 7

Lys-NO hydrogels inhibit SMC proliferation




FIGURE 8A






FIGURE 8B

0963406-090100

DETA-NO hydrogels inhibit SMC proliferation




FIGURE

9A

09033405 . 090 figure

9B

CYSNO hydrogels inhibit SMC proliferation




* indicates different CYSNO concentration than used for hydrogel

FIGURE 10A

FIGURE 10B

NO-releasing hydrogels inhibit smooth muscle cell growth



NO release from PVA-NO-bFGF hydrogels




Figure 12A

bFGF release from PVA-NO-bFGF hydrogels




Figure 12B

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63)	Attorney Docket Number	RICE 100
	First Named Inventor	Jennifer L. West
	COMPLETE IF KNOWN	
	Application Number	/
	Filing Date	September 1, 2000
	Group Art Unit	Not Yet Assigned
	Examiner Name	Not Yet Assigned

☒ Declaration Submitted with Initial Filing OR ☐ Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

NITRIC OXIDE-PRODUCING HYDROGEL MATERIALS

the specification of which (Title of the Invention)

☒ is attached hereto
OR
☐ was filed on (MM/DD/YYYY) [] as United States Application Number or PCT International Application Number [] and was amended on (MM/DD/YYYY) [] (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.
60/152,054	September 2, 1999	

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

RICE 100

14750/2

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12-97)
Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

☐ Customer Number OR
☒ Registered practitioner(s) name/registration number listed below

Place Customer
Number Bar Code
Label here

Name	Registration Number	Name	Registration Number
Patrea L. Pabst	31,284		
Robert A. Hodges	41,074		
Kevin W. King	42,737		

☐ Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto.

Direct all correspondence to: ☐ Customer Number OR ☒ Correspondence address below

Name	Patrea L. Pabst				
Address	Arnall Golden & Gregory, LLP				
Address	2800 One Atlantic Center, 1201 West Peachtree Street				
City	Atlanta	State	GA	ZIP	30309-3450
Country	United States	Telephone	(404)873-8794	Fax	(404)873-8795

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:

☐ A petition has been filed for this unsigned inventor

Given Name (first and middle [if any])		Family Name or Surname	
Jennifer L.		West	
Inventor's Signature	Date		
Residence: City	Houston	State	TX
		Country	USA
Post Office Address	3523 Senova Drive		
Post Office Address			
City	Pearland	State	TX
		ZIP	77584
		Country	USA

☐ Additional inventors are being named on the 1 supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto

Please type a plus sign (+) inside this box →

PTO/SB/02A (3-97)
Approved for use through 9/30/98. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.



DECLARATION

ADDITIONAL INVENTOR(S)
Supplemental Sheet
Page 1 of 1

Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Kristyn Simcha				Bohl			
Inventor's Signature					Date		
Residence: City		Houston	State	TX	Country	USA	Citizenship
		US					
Post Office Address		4065 S. Braeswood, Apt. 243					
Post Office Address							
City		Houston	State	TX	ZIP	77025	Country
		USA					
Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Inventor's Signature					Date		
Residence: City			State		Country		Citizenship
Post Office Address							
Post Office Address							
City			State		ZIP		Country
Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Inventor's Signature					Date		
Residence: City			State		Country		Citizenship
Post Office Address							
Post Office Address							
City			State		ZIP		Country

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

RICE 100

14750/2